

SERVICE

HIRE

SPARES

WELDING ACCESSORIES

SECTION

12



EARTH CLAMPS



Part No.	Description
EC200	200A Earth Clamp
EC300	300A Earth Clamp
EC500	500A Earth Clamp
EC300H	Heavy Duty 300A Earth Clamp
EC500H	Heavy Duty 500A Earth Clamp



9871540	Kemppi 350A Earth Clamp
9871541	Kemppi 500A Earth Clamp



EG500	Lenco 500A Earth Clamp
-------	------------------------



8100315	Magswitch 300 Amp Magnetic Earth Clamp
8100316	Magswitch 600 Amp Magnetic Earth Clamp



6-GC-300	Brass 300A G Earth Clamp
6-GC-500	Brass 500A G Earth Clamp

Check this out!

ELECTRODE HOLDER



Part No.	Description
TW400	400 Amp Twist Electrode Holder
TW600	600 Amp Twist Electrode Holder



6TG300	300 Amp Tong Electrode Holder
6TG500	500 Amp Tong Electrode Holder
9871021	Kemppi 300 Amp Electrode Holder

ARC-AIR GOUGING TORCH - 600 AMP



Part No.	Description
AEC4000-1	Arc-Air Gouging Torch - 600 Amp

- New four barrel nozzle gives optimum metal removal
- Improved torch air flow
- Optimised air flow to control noise
- Natural 15 degree torch angle with 360 degrees swivel cable
- Positive hand grip
- Optimum cable and torch weight to minimise fatigue
- 2.4kg

Quantity per packet: 1

WELDING CABLE



Part No.	Size in MM ²	Current Rating (Amps @ 100%)	Approx. Copper Diameter	Weight (Kg Per M)
LAV90HT-16	16	115	7.2	0.171
LAV90HT-25	25	160	11.3	0.297
LAV90HT-35	35	200	12.6	0.395
LAV90HT-50	50	250	14.2	0.536
LAU90HT-70	70	315	16.2	0.744
LAV90HT-90	95	380	18.3	0.993

As welding current is affected by the length of your leads due to Voltage Drop it is important that the correct cable size is used for your welding application.

CABLE CONNECTORS



Part No.	Description
CX20	Small Male Dinse Connect
CX22	Large Male Dinse Connect
CX24	Large Male Dinse Connect - 95mm ²
CX40	Small Female Dinse Connect
CX42	Large Female Dinse Connect
CX44	Large Female Dinse Connect - 95mm ²
CX30M	Small Male Panel Socket
CX30F	Small Female Panel Socket
CX31M	Large Male Panel Socket
CX31F	Large Female Panel Socket
MC300	300 Amp Mechconnector Set
MC500	500 Amp Mechconnector Set

FIELD LUGS



Part No.	Description
P6-FL300	Field Lug - 300 Amp Large
P6-FL500	Field Lug - 600 Amp X-Large

Quantity per packet: 1

CRIMP LUGS (DETIKER CLAMPS) - COPPER



Part No.	Suits Cable Size	Eyelet Size
CT16-8	16mm ²	8mm I.D.
CT16-10	16mm ²	10mm I.D.
CT16-12	16mm ²	12mm I.D.
CT25-8	25mm ²	8mm I.D.
CT25-10	25mm ²	10mm I.D.
CT25-12	25mm ²	12mm I.D.
CT35-8	35mm ²	8mm I.D.
CT35-10	35mm ²	10mm I.D.
CT35-12	35mm ²	12mm I.D.
CT50-8	50mm ²	8mm I.D.
CT50-10	50mm ²	10mm I.D.
CT50-12	50mm ²	12mm I.D.
CT70-8	70mm ²	8mm I.D.
CT70-10	70mm ²	10mm I.D.
CT70-12	70mm ²	12mm I.D.
CT95-8	95mm ²	8mm I.D.
CT95-10	95mm ²	10mm I.D.
CT95-12	95mm ²	12mm I.D.

Available in various sizes. Quantity per packet: 10

MIG ADAPTERS



Part No.	Description
BNLADR	Binzel Euro Adapter
Large range available for most brands of machines.	
BW14	Binzel Adapter Support

LARGE RANGE
AVAILABLE FOR
MOST BRANDS OF
MACHINES

CABLE TIES



Part No.	Size	Quality	Pack Qty
CT102B	100mm x 2.5mm	Light Duty	100ea/Pack
CT165B	165mm x 2.5mm	Light Duty	100ea/Pack
CT200LB	200mm x 2.5mm	Light Duty	100ea/Pack
CT292B	292mm x 3.6mm	Intermediate Duty	100ea/Pack
CT370MB	370mm x 3.6mm	Intermediate Duty	100ea/Pack

SPIRAL WRAP - PROTECTIVE PVC WRAPPING



Part No.	Internal Diameter	Colours Available
SW12	12mm	Black, Red, Yellow, Blue
SW16	16mm	Black, Red, Yellow, Blue
SW20	20mm	Black, Red, Yellow, Blue
SW25	25mm	Black, Red, Yellow, Blue
SW32	32mm	Black, Red, Yellow, Blue
SW40	40mm	Black, Red, Yellow, Blue

3 & 4 CORE CABLE



Part No.	Description
3CORE15	3 Core 1.5mm ²
3CORE25	3 Core 2.5mm ²
3CORE40	3 Core 4.0mm ²
3CORE60	3 Core 6.0mm ²
4CORE15	4 Core 1.5mm ²
4CORE25	4 Core 2.5mm ²
4CORE40	4 Core 4.0mm ²

Sold per metre or full roll. Quantity per roll – 100 metres.

TECH HIRE - Simple Onsite Hire Solutions'

HIRE | RENTALS | HIRE-2-BUY

YOUR 10 REASONS TO HIRE FROM TECH HIRE

- 1. FLEXIBLE REQUIREMENTS** - Get the correct machine for your job.
- 2. NO LONG TERM STORAGE** - We can deliver equipment, you use it, and Tech Hire can arrange pick-up.
- 3. BETTER POWER FOR BORROWING** - Rented equipment does not appear as a liability on your business balance sheet. This can actually increase your power to borrow by offering a better ratio of assets to liabilities.
- 4. SERVICE, MAINTENANCE, TRUST** - Simply call the Macro team for equipment and applications. Have peace of mind and trust the equipment will be maintained.
- 5. SAVES YOU MONEY** - Rent from Tech Hire and this allows you to use the latest equipment without the concern of costly depreciation. No more struggling to get the job done with old equipment.
- 6. SAVES YOU TIME** - Less costly breakdowns. All equipment is for sale, and is either new or well serviced and maintained.
- 7. CAPITAL EXPENDITURE FREE-UP** - Free up your capital investment for other demands in your business so you can grow.
- 8. FREE MAINTENANCE** - No costly services! Apart from the daily checkups, our agreements cover the maintenance of the machine within reason.
- 9. YOUR CHOICE** - Try before you buy. If you are considering buying, we have the 'Hire 2 Buy' option. You agree with a purchase price at the beginning, and if you purchase, half of your rental price comes off the agreed price. It's simple!
- 10. THE RIGHT EQUIPMENT** - 'Tech Hire' provides the correct equipment for your job! No just getting by with the old equipment!

OUR AIM - 'To Exceed Your Expectations'



TECH HIRE FLEET

SIMPLE ON-SITE HIRE SOLUTIONS



MIGS | TIGS | PLASMAS | GENERATORS | STAINLESS CLEANING MACHINES
 MMA WELDERS | PIPE/TUBE CUTTERS | BANDSAWS | PULSE MIGS
 ANGLE GRINDERS | MAG BASED DRILLS

WELDER REPAIR SPECIALISTS

➤ ALL BRANDS OF WELDING MACHINES SERVICED

Including Plasma Cutters, Bandsaws, etc..

➤ LOAN/HIRE MACHINES AVAILABLE

To approved customers

➤ ON-SITE SERVICE

For your convenience

➤ QUALIFIED TECHNICIANS

➤ PREVENTATIVE MAINTENANCE PROGRAM 6/12 MONTH

Many customers are proving this program beneficial in reducing downtime

➤ TEST AND TAG SERVICE

➤ LARGE RANGE OF SPARE PARTS IN STOCK

**WE
SERVICE
WHAT WE
SELL!**



**SERVICE TO YOUR DOOR
AUSTRALIA WIDE**

